

## IN THE CLAIMS

1-28. Cancelled

29. (New) A method of completing a well, comprising:

running a tubular string into a cased borehole;

expanding at least a portion of said tubular string into contact with the cased borehole for support thereof;

leaving at least one gap between said tubular string and said cased borehole, with said tubular string supported to said cased borehole; and

using said gaps for passage of a sealing material.

30. (New) The method of claim 29, comprising:

closing said gaps.

31. (New) The method of claim 29, comprising:

using a swage to expand said tubular.

32. (New) The method of claim 31, comprising:

moving said swage in an uphole direction.

33. (New) The method of claim 31, comprising:

moving said swage in a downhole direction.

34. (New) The method of claim 31, comprising:

running in said tubular string with at least a portion of said swage inside.

35. (New) The method of claim 34, further comprising:

locating a force transfer member inside said tubular string during run-in;

transferring an expansion force from said swage through said force transfer member to said tubular string for said expansion into said cased borehole for support thereof.

36. (New) The method of claim 35, further comprising:  
configuring said swage to force said gaps closed through a force transfer through a sleeve which serves as said force transfer member.
37. (New) A method of completing a well, comprising:  
running a tubular string into a cased borehole;  
expanding at least a portion of said tubular string into contact with the casing for support thereof;  
leaving at least one gap between said tubular string and said casing, with said tubular string supported to said casing;  
providing at least one longitudinal contact between said tubular string and said cased borehole;  
defining said gap as at least one passage between said longitudinal contact between said tubular string and said cased wellbore.
38. (New) The method of claim 37, comprising:  
using said gap for passage of a sealing material.
39. (new) The method of claim 37, comprising:  
closing said gap.
40. (New) The method of claim 37, comprising:  
using a swage to create said longitudinal contact for support of said tubular string.
41. (New) The method of claim 40, comprising:  
providing at least one flute on said swage.

42. (New) The method of claim 41, comprising:
- providing offset flutes on said swage, located one above another.
43. (New) The method of claim 42, comprising:
- using lowermost flutes to create said longitudinal contact.
44. (New) The method of claim 40, comprising:
- supporting said tubular string while moving said swage uphole to expand at least a portion of said tubular string into contact with said cased borehole for support thereof.
45. (New) The method of claim 42, comprising:
- using said gap for passage of a sealing material;
- using said offset flutes to subsequently remove said at least one gap after passage of said sealing material.
46. (New) The method of claim 40, comprising:
- locating a force transfer member inside said tubular string during run-in;
- transferring an expansion force from said swage through said force transfer member to said tubular string for said expansion into said cased borehole for support thereof.
47. (New) The method of claim 46, comprising:
- configuring said swage to force said gaps closed through a force transfer through a sleeve which serves as said force transfer member.
48. (New) A method of completing a well, comprising:
- running a tubular string having a reduced diameter, to an outer dimension small enough to fit into said cased borehole, into a cased borehole where such tubular string's original

dimension, on at least a part thereof, was at least as large as the inside diameter of a cased wellbore;

expanding at least a portion of said tubular string into contact with the casing for support thereof;

leaving at least one gap between said tubular string and said casing, with said tubular string supported to said casing;

using said gaps for passage of a sealing material.

49. (New) The method of claim 48, comprising:

closing said gaps.

50. (New) The method of claim 48, comprising:

reducing the diameter of at least a portion of said tubular string after running into the cased borehole.

51. (New) The method of claim 48, comprising:

using a swage to expand said tubular.

52. (New) The method of claim 51, comprising:

moving said swage in at least one of an uphole and downhole directions.

53. (New) The method of claim 51, comprising:

running in said tubular string with at least a portion of said swage inside.

54. (New) The method of claim 49, further comprising:

expanding said portion of said tubing string to its said original dimension to close said gaps;

providing said original dimension as larger than the inside dimension of said cased wellbore;

sealing between said tubing string and said cased wellbore by forcing said portion of said tubular string into circumferential contact with said cased wellbore.

55. (New) A method of completing a well, comprising:

running in a tubular string into a cased borehole;

expanding a portion of said tubular into supporting contact with the casing;

delivering a sealing material through at least one opening in said tubular, with said tubular so supported.

56. (New) A method of completing a well comprising:

running in a tubular string into a cased borehole;

inserting at least one gripping member into an annular space between said tubular string and said cased borehole to support said tubular string;

leaving at least one gap adjacent said gripping member; and

flowing a sealing material through said gap.

Respectfully submitted,

July 24, 2003



Gary R. Maze  
Reg. No. 42,851  
Duane Morris LLP  
One Greenway Plaza, Suite 500  
Houston, TX 77046  
713.964.7700

**CERTIFICATE OF MAILING 37 CFR 1.10**

I hereby certify that this correspondence along with any referred to as attached or enclosed is being deposited with the United States Postal Service as Express Mail, Label No. EV321286275US, postage prepaid in an envelope addressed to: Mail Stop Patent Application, Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 24, 2003.



Tracie Thigpen